



## Criterion IV – Infrastructure and Learning Resources

Academic Year: 2023-24

### Land Details

S. No	Survey No	Acres
1	Sy.No.518/1, 578, 579, 579(P), 580(P)	10
Total in Acres		10

### Building Details

S. No	Name of the Block	Floor	Name of the Room	Room No	Area in sqm
1	ABK Block	Ground Floor	Staff Room	ABK001	35.24
2	ABK Block	Ground Floor	Class Room	ABK002	71.52
3	ABK Block	Ground Floor	Gents Toilet	ABK003	37.48
4	ABK Block	Ground Floor	Girls Toilet	ABK004	40.87
5	ABK Block	Ground Floor	Computer Lab	ABK005	107.44
6	ABK Block	Ground Floor	Class Room	ABK006	72.45
7	ABK Block	Ground Floor	Computer Lab	ABK007-A & B	109
8	ABK Block	Ground Floor	Class Room	ABK008	72.08
9	ABK Block	Ground Floor	Class Room	ABK009	72.08
10	ABK Block	Ground Floor	Staff Room	ABK010	72.34
11	ABK Block	Ground Floor	HOD Room	ABK011	35.99
12	ABK Block	First Floor	Staff Room	ABK101	35.53
13	ABK Block	First Floor	Computer Lab	ABK102 & 103	73.47
14	ABK Block	First Floor	Gents Toilet	ABK104	28.09
15	ABK Block	First Floor	House keeping	ABK105	15.39
16	ABK Block	First Floor	Girls Toilet	ABK106	24.17
17	ABK Block	First Floor	Power ups room	ABK107	25.43
18	ABK Block	First Floor	Computer Lab	ABK107-A	118.46
20	ABK Block	First Floor	Computer Lab	ABK108-A	129.68
22	ABK Block	First Floor	Tutorial	ABK109	36.3
23	ABK Block	First Floor	Tutorial	ABK109A	36.2
24	ABK Block	First Floor	Class Room	ABK110	72.45
25	ABK Block	First Floor	Staff Room	ABK110-A	11.5
26	ABK Block	First Floor	Class Room	ABK111	72.45
27	ABK Block	First Floor	Class Room	ABK112	72.76
28	ABK Block	First Floor	Staff room	ABK113	36.36
29	ABK Block	Second Floor	Staff room	ABK201	35.24
30	ABK Block	Second Floor	Class Room	ABK202	72.17
31	ABK Block	Second Floor	Gents Toilet	ABK203	36.1
32	ABK Block	Second Floor	Maintenance	ABK204	15.39

  
**PRINCIPAL**  
**PRINCIPAL**



# NARSIMHA REDDY ENGINEERING COLLEGE

## UGC AUTONOMOUS INSTITUTION

Maisammaguda (V), Kompally - 500100, Secunderabad, Telangana state, India

Accredited by NBA & NAAC with 'A' Grade

Approved by AICTE

Permanently affiliated to JNTUH

33	ABK Block	Second Floor	Girls Toilet	ABK205	36.1
34	ABK Block	Second Floor	Class Room	ABK206	71.8
35	ABK Block	Second Floor	Class Room	ABK207	72.08
36	ABK Block	Second Floor	Class Room	ABK208 & 209	93.28
37	ABK Block	Second Floor	Tutorial	ABK210	35.8
38	ABK Block	Second Floor	Tutorial	ABK210A	35.8
39	ABK Block	Second Floor	Staff Room	ABK211	36.55
40	ABK Block	Second Floor	Class Room	ABK212	72.35
41	ABK Block	Second Floor	Staff Room	ABK212-A	13.69
42	ABK Block	Second Floor	Class Room	ABK213	72.63
43	ABK Block	Second Floor	Class Room	ABK214	72.57
44	ABK Block	Second Floor	Staff room	ABK215	36.36
45	ABK Block	Third Floor	Computer Lab	ABK301-A	96.16
46	ABK Block	Third Floor	Computer Lab	ABK301-B	84.17
47	ABK Block	Third Floor	Computer Lab	ABK301-C	96.16
48	ABK Block	Third Floor	Computer Lab	ABK301-D	84.17
49	ABK Block	Third Floor	Computer Lab	ABK302	54.74
50	ABK Block	Third Floor	Computer Center	ABK303	181.33
51	ABK Block	Third Floor	Server Room	ABK303-A	14.99
52	ABK Block	Third Floor	Tutorial	ABK304	35.31
53	ABK Block	Third Floor	Tutorial	ABK304A	35.32
54	ABK Block	Third Floor	Class Room	ABK305	71.92
55	ABK Block	Third Floor	HOD Room	ABK306	35.31
56	Security	Ground Floor	Security	GATE001	20
57	MG Block	Ground Floor	Director Room	MG001	38.64
58	MG Block	Ground Floor	Principal Board Room	MG001-A	30.10
59	MG Block	Ground Floor	Principal Room	MG002	48.23
60	MG Block	Ground Floor	Chairmen Room	MG003	37.26
61	MG Block	Ground Floor	Pantry for Staff	MG004	30.10
62	MG Block	Ground Floor	Office All Inclusive	MG005	75.84
63	MG Block	Ground Floor	Placement Cell	MG006	51.74
64	MG Block	Ground Floor	Staff Room	MG006-A, B, C	23.07
65	MG Block	Ground Floor	Central Store	MG006-D	34.99
66	MG Block	Ground Floor	Office All Inclusive	MG007	186.16
67	MG Block	Ground Floor	Sick Room	MG007-A	10.81
68	MG Block	Ground Floor	Staff Room	MG008-A	16.32
69	MG Block	Ground Floor	Staff Room	MG008-B	17.67
70	MG Block	Ground Floor	Office All Inclusive	MG008-D	41.45
71	MG Block	Ground Floor	Exam Branch	MG008-C	76.34
72	MG Block	Ground Floor	Office All Inclusive	MG009	216.47
73	MG Block	First Floor	Chemistry Lab	MG101	78.3
74	MG Block	First Floor	Chemistry Lab	MG102	78.3
75	MG Block	First Floor	Girls Common Room	MG103	78.93
76	MG Block	First Floor	English Lab-Language lab	MG104	77.68
77	MG Block	First Floor	Computer Lab	MG105-A	158.36

  
PRINCIPAL  
PRINCIPAL

NARASIMHA REDDY ENGINEERING COLLEGE  
UGC AUTONOMOUS  
Survey No.510, Maisammaguda (V), Dhulapally (P),  
Medchal (M), Medchal Dist., Hyderabad-500100



# NARSIMHA REDDY ENGINEERING COLLEGE

## UGC AUTONOMOUS INSTITUTION

Maisammaguda (V), Kompally - 500100, Secunderabad, Telangana state, India

Accredited by NBA & NAAC with 'A' Grade

Approved by AICTE

Permanently affiliated to JNTUH

78	MG Block	First Floor	Computer lab	MG105-B	156.54
79	MG Block	First Floor	Server Room	MG105-C	28.36
80	MG Block	First Floor	Staff Room	MG106	39.47
81	MG Block	First Floor	Chemistry lab	MG107	77.30
82	MG Block	First Floor	Staff Room	MG107-A	19.67
83	MG Block	First Floor	Physics lab	MG108	77.39
84	MG Block	First Floor	Physics Lab	MG109	78.35
85	MG Block	First Floor	Physics Lab	MG109-A	78.35
86	MG Block	Second Floor	Class room	MG201	78.17
87	MG Block	Second Floor	Class room	MG202	76.45
88	MG Block	Second Floor	Toilet	MG203	38.8
89	MG Block	Second Floor	Toilet	MG204	37.55
90	MG Block	Second Floor	Class Room	MG205	82.19
91	MG Block	Second Floor	Class Room	MG206	76.64
92	MG Block	Second Floor	Class Room	MG207	76.64
93	MG Block	Second Floor	Tutorial room	MG208	34.49
94	MG Block	Second Floor	Tutorial room	MG208A	34.49
95	MG Block	Second Floor	Drawing Hall	MG209	156.73
96	MG Block	Second Floor	Class Room	MG210	77.02
97	MG Block	Second Floor	Staff Room	MG210-A	19.73
98	MG Block	Second Floor	Class Room	MG211	77.20
99	MG Block	Second Floor	Class Room	MG212	78.35
100	MG Block	Second Floor	Class Room	MG213	78.73
101	MG Block	Third Floor	Staff Room	MG301	36.73
102	MG Block	Third Floor	Class Room	MG302	77.87
103	MG Block	Third Floor	Class Room	MG303	77.58
104	MG Block	Third Floor	Girls Common Room	MG304	58.72
105	MG Block	Third Floor	Class Room	MG305	76.24
106	MG Block	Third Floor	Class Room	MG306	79.50
107	MG Block	Third Floor	Class Room	MG307	77.30
108	MG Block	Third Floor	Tutorial room	MG308	33.38
109	MG Block	Third Floor	Tutorial room	MG308A	33.38
110	MG Block	Third Floor	Class Room	MG309	76.19
111	MG Block	Third Floor	Seminar Hall	MG310&311	155.07
112	MG Block	Third Floor	Class Room	MG312	76.14
113	MG Block	Third Floor	Staff Room	MG313	38.36
114	MG Block	Third Floor	Class Room	MG314	77.87
115	MG Block	Third Floor	HOD Cabin	MG315	37.72
116	MT Block	Ground Floor	WORKSHOP	MT001&002	200.11
117	MT Block	Ground Floor	GIRLS TOILET	MT003	34.73
118	MT Block	Ground Floor	WORKSHOP	MT004	200.15
119	MT Block	Ground Floor	Tutorial Room	MT005	35.92
120	MT Block	Ground Floor	ICS LAB	MT006	101.82
121	MT Block	Ground Floor	CAD LAB	MT006A	77.23
122	MT Block	Ground Floor	STATIONARY	MT007	34.37

  
PRINCIPAL  
PRINCIPAL

NARASIMHA REDDY ENGINEERING COLLEGE  
UGC AUTONOMOUS  
Survey No. 510, Maisammaguda (V), Dhulapally (P),  
Medchal (M), Medchal Dist., Hyderabad-500100



# NARSIMHA REDDY ENGINEERING COLLEGE

## UGC AUTONOMOUS INSTITUTION

Maisammaguda (V), Kompally - 500100, Secunderabad, Telangana state, India

Accredited by NBA & NAAC with 'A' Grade

Approved by AICTE

Permanently affiliated to JNTUH

123	MT Block	Ground Floor	Tutorial Room	MT007A	36.10
124	MT Block	Ground Floor	CT & HE LAB	MT008	142.88
125	MT Block	Ground Floor	FM & HM LAB	MT009	70.47
126	MT Block	Ground Floor	Drawing Hall	MT010	227.05
127	MT Block	Ground Floor	GT LAB	MT011	70.38
128	MT Block	Ground Floor	BOYS common room	MT012	34.18
129	MT Block	Ground Floor	SM LAB	MT013	108.77
130	MT Block	Ground Floor	MMS LAB	MT013A	70.38
131	MT Block	First Floor	HT LAB	MT101	74.25
132	MT Block	First Floor	HOD CABIN	MT102	35.03
133	MT Block	First Floor	Tutorial Room	MT103	35.96
134	MT Block	First Floor	Tutorial Room	MT103A	35.96
135	MT Block	First Floor	GIRLS TOILET	MT104	35.87
136	MT Block	First Floor	Class Room	MT105	73.79
137	MT Block	First Floor	ME STAFF ROOM	MT105A	39.06
138	MT Block	First Floor	Class Room	MT106	73.60
139	MT Block	First Floor	CE STAFF ROOM	MT107	34.71
140	MT Block	First Floor	COMPUTER Center	MT107A	151.20
141	MT Block	First Floor	COMPUTER LAB	MT108	95.79
142	MT Block	First Floor	HOD CABIN and Dept. office	MT108A	35.59
143	MT Block	First Floor	STAFF ROOM	MT108B	33.81
144	MT Block	First Floor	Computer Lab	MT109	73.04
145	MT Block	First Floor	EG LAB	MT110	88.64
146	MT Block	First Floor	SURVEY LAB	MT111	73.88
147	MT Block	First Floor	Class Room	MT112	71.13
148	MT Block	First Floor	Class Room	MT113	66.00
149	MT Block	First Floor	Class Room	MT114	70.51
150	MT Block	First Floor	Seminar Hall	MT115	295.88
151	MT Block	Second Floor	Class Room	MT201	74.45
152	MT Block	Second Floor	ECE HOD CABIN	MT202	34.84
153	MT Block	Second Floor	Class Room	MT203	71.92
154	MT Block	Second Floor	GIRLS TOILET	MT204	34.37
155	MT Block	Second Floor	ECA/ADE LAB	MT205	73.88
156	MT Block	Second Floor	STAFF ROOM	MT205A	38.99
157	MT Block	Second Floor	MW & OC LAB	MT206	72.95
158	MT Block	Second Floor	DCN/ECAD/ BS/DSP/MPMC/SL LAB	MT207	110.21
159	MT Block	Second Floor	STAFF ROOM	MT208	70.98
160	MT Block	Second Floor	COMPUTER Center	MT209	165.04
161	MT Block	Second Floor	Computer Lab	MT210	75.00
162	MT Block	Second Floor	STAFF ROOM	MT210A	35.49
163	MT Block	Second Floor	Computer Lab	MT211	71.54
164	MT Block	Second Floor	ADC LAB	MT212	73.79
165	MT Block	Second Floor	Class Room	MT213	71.13
166	MT Block	Second Floor	Class Room	MT214	66.08

  
PRINCIPAL  
PRINCIPAL

NARASIMHA REDDY ENGINEERING COLLEGE  
UGC AUTONOMOUS  
Survey No. 510, Maisammaguda (V), Dhulapally (P),  
Medchal (M), Medchal Dist., Hyderabad-500100





# NARSIMHA REDDY ENGINEERING COLLEGE

## UGC AUTONOMOUS INSTITUTION

Maisammaguda (V), Kompally - 500100, Secunderabad, Telangana state, India

Accredited by NBA & NAAC with 'A' Grade

Approved by AICTE

Permanently affiliated to JNTUH

167	MT Block	Second Floor	Class Room	MT215	70.7
168	MT Block	Second Floor	Class Room	MT216	72.78
169	MT Block	Second Floor	BOYS COMMON ROOM	MT217	35.77
170	MT Block	Second Floor	DLD/EC LAB	MT218	72.29
171	MT Block	Second Floor	STAFF ROOM	MT219	35.87
172	MT Block	Second Floor	IC/EDC LAB	MT219A	74.16
173	MT Block	Third Floor	EIM LAB/CS Lab	MT301	92.84
174	MT Block	Third Floor	CS/Network-Laboratory	MT302	90.42
175	MT Block	Third Floor	GIRLS TOILET	MT303	35.87
176	MT Block	Third Floor	EM LAB	MT304	196.08
177	MT Block	Third Floor	STAFF ROOM	MT306	34.93
178	MT Block	Third Floor	SIMULATION LAB	MT306A	73.04
179	MT Block	Third Floor	PE/EED LAB Lab	MT307	71.11
180	MT Block	Third Floor	DRAWING HALL	MT308	132.10
181	MT Block	Third Floor	BEE LAB	MT309	72.10
182	MT Block	Third Floor	PS LAB Lab	MT310	71.84
183	MT Block	Third Floor	BEE LAB	MT311	71.82
184	MT Block	Third Floor	Class Room	MT312	72.86
185	MT Block	Third Floor	Class Room	MT313	71.24
186	MT Block	Third Floor	Class Room	MT314	66
187	MT Block	Third Floor	Class Room	MT315	70.69
188	MT Block	Third Floor	BEE LAB	MT316	73.41
189	MT Block	Third Floor	Boys Common Room	MT317	35.77
190	MT Block	Third Floor	HOD Cabin	MT318	35.87
191	MT Block	Third Floor	Class Room	MT319	72.85
192	MT Block	Third Floor	Class Room	MT320	72.39
193	Henry Ford Shed	Ground Floor	Additional Workshop	HF001	208.35
194	Henry Ford Shed	Ground Floor	WORKSHOP	HF002	208.35
195	Henry Ford Shed	Ground Floor	TE LAB	HF003	103.40
196	IT PARK	Ground Floor	LIBRARY / READING ROOM	ITP 001	828.00
197	IT PARK	First Floor	STAFF ROOM	ITP101	20.43
198	IT PARK	First Floor	COMPUTER LAB	ITP102	75.00
199	IT PARK	First Floor	COMPUTER LAB	ITP102-A	75.00
200	IT PARK	First Floor	COMPUTER LAB	ITP103	100.00
201	IT PARK	First Floor	COMPUTER CENTRE	ITP104	150.00
202	IT PARK	First Floor	LIBRARY / READING ROOM	ITP105	80.00
203	IT PARK	First Floor	LIBRARY / READING ROOM	ITP106	150.00
204	IT PARK	First Floor	WASH ROOM	ITP107	29.72
205	IT PARK	Second Floor	STAFF ROOM	ITP201	20.43
206	IT PARK	Second Floor	COMPUTER LAB	ITP202	75.00
207	IT PARK	Second Floor	COMPUTER LAB	ITP202-A	75.00

  
PRINCIPAL  
PRINCIPAL

NARASIMHA REDDY ENGINEERING COLLEGE  
UGC AUTONOMOUS  
Survey No. 510, Maisammaguda (V), Dhulapally (P),  
Medchal (M), Medchal Dist., Hyderabad-500100



# NARSIMHA REDDY ENGINEERING COLLEGE

## UGC AUTONOMOUS INSTITUTION

Maisammaguda (V), Kompally - 500100, Secunderabad, Telangana state, India

Accredited by NBA & NAAC with 'A' Grade

Approved by AICTE

Permanently affiliated to JNTUH

208	IT PARK	Second Floor	COMPUTER LAB	ITP203	100.00
209	IT PARK	Second Floor	COMPUTER LAB	ITP204	150.00
210	IT PARK	Second Floor	COMPUTER LAB	ITP205	80.00
211	IT PARK	Second Floor	COMPUTER LAB	ITP206	150.00
212	IT PARK	Second Floor	WASH ROOM	ITP207	29.72
213	Cafeteria	Ground Floor	Cafeteria	SHD001	619.27
<b>Total Area in Sqm</b>					<b>16411.01</b>

## Hostel Building Details

S. No	Name of the Block	Floor	Room Area in sqm	No of Rooms	Total Area in sqm
1	Girls Hostel	Ground Floor	404.98	1	404.98
2	Girls Hostel	First Floor	32.93	2	65.86
3	Girls Hostel	First Floor	23.38	8	187.04
4	Girls Hostel	Second Floor	32.93	2	65.86
5	Girls Hostel	Second Floor	23.38	8	187.04
6	Girls Hostel	Third Floor	32.93	2	65.86
7	Girls Hostel	Third Floor	23.38	8	187.04
8	Girls Hostel	Fourth Floor	32.93	2	65.86
9	Girls Hostel	Fourth Floor	23.38	8	187.04
<b>Total Area in Sqm</b>					<b>1416.58</b>

  
PRINCIPAL  
PRINCIPAL

NARASIMHA REDDY ENGINEERING COLLEGE  
UGC AUTONOMOUS  
Survey No. 510, Maisammaguda (V), Dhulapally (P),  
Medchal (M), Medchal Dist., Hyderabad-500100




ABK 001



ABK 002



**ABK 003**




**ABK 004**






**ABK 005**



**ABK 006**



**ABK 007 – A & B**



**ABK 008**





ABK 009



ABK 010



**ABK 011**



**ABK 101**





ABK 102



ABK 103



**ABK 104**



**ABK 105 & 106**






ABK 107



ABK 107 - A





**ABK 108 - A**



**ABK 109 & ABK 109A**





ABK 110



ABK 111



**ABK 112**



**ABK 113**





**ABK 201**



**ABK 202**




**ABK 203 & 204**




**ABK 205**






**ABK 206**



**ABK 207**



**ABK 208 & 209**




**ABK 210 & 210A**





**ABK 211**




**ABK 212**






ABK 212 – A



ABK 213



**ABK 214**




**ABK 215**






**ABK301-A**




**ABK 301-B**






**ABK 301-C**



**ABK 301-D**



ABK 302




ABK 303





**ABK 303-A**




**ABK 304 & ABK 304-A**






ABK 305




ABK 306













HF 002




HF 003







ITP 001



ITP 101




**ITP 102**




**ITP 102-A**






**ITP 103**



**ITP 104**



**ITP 105**



**ITP 106**








**ITP 107**



**ITP 201**




**ITP 202**




**ITP 202-A**







**ITP 203**



**ITP 204**



**ITP 205**



**ITP 206**






**ITP 207**



MG 001



MG 001A






MG 002



MG 003




MT 004



MG 005





MG 006



MG 006-A, B, C




**MG 006-D**




**MG 007**






MG 007



MG 007-A



**MG 008-A & MG 008-B**




**MG 008-C & MG 008-D**





MG 009



MG101




**MG 102**




**MG 103**






MG 104



**MG105-A & MG105-C**



**MG105B**





MG 106



MG 107



MG 107A



MG 108







MG 109



MG 109A



MG 201



MG 202






**MG 203**



**MG 204**




MG 205




MG 206







MG 207



MG 208 & MG 208-A\* & MG 209\*



**MG 210**



**MG 210-A**





MG 211



MG 212



MG 213



MG 301





MG 302



MG 303



MG 304



MG 305





MG 306



MG 307



MG 308 & 308 -A



MG 309





MG 310 & 311



MG 312



MG 313



MG 314





**MG 315**



MT 001



MT 002






MT 003



MT 004



MT 005



MT 006A





MT 006



MT 007



MT 007A



MT 008





**MT 009**



**MT 010**



MT 011



MT 012






MT 013




MT 013A



**MT 101**





MT102



MT103 & MT 103A



MT104



MG 105







MT 105A



MT106




MT 107




MT 107 A






MT 108



MT108 A



MT 108C




MT 109






MT 110



MT 111



MT 110





MT 111





MT 112



MT 113



MT 114




MT 115





MT 201



MT 202



MT 203



MT 204






MT 205



MT 205A



MT 206





MT 207






MT 208



MT 209



MT 210




MT 210A






MT 211



MT 212



MT 213



MT 214





MT 215



MT 216



MT 217



MT 218






MT 219 A




MT 219






MT 301



MT 302






MT 302 A



MT 303



MT 304




MT 306






MT 306A



MT 307




MT 308




MT 309






MT 310



MT 311



MT 312



MT 313





MT 314



MT 315



MT 316



MT 317





MT 318



MT 319



MT 320